

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 68279_FLOWERY BOWL
 Product name: Fragrance diffuser with wicks - Flowery Bowl
 UFI: FS13-Q0P2-N00U-X4KA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Fragrance diffuser with wicks Purity line perfume Flowery Bowl

1.3. Details of the supplier of the safety data sheet

Name: STAR S.P.A. CON SOCIO UNICO
 Full address: Via Ungaretti 6
 District and Country: 16157 Genova (Ge)
 Italia
 Tel. +39 0108903600
 Fax +39 0106129727

e-mail address of the competent person
 responsible for the Safety Data Sheet

ufficiotecnico@starspa.net

1.4. Emergency telephone number

For urgent inquiries refer to

+39 010 8903640 (Monday - Friday, 8.30-13.00, 14.30-18.00)
 Poison Centre, Azienda Ospedaliera Universitaria Riuniti, Viale Luigi Pinto 1, Foggia;
 Tel.: + 39800183459
 Poison Centre, Azienda Ospedaliera Universitaria Careggi, U.O. Tossicologia medica,
 Via Largo Brambilla 3, Florence; Tel.: + 39 055-7947819
 Poison Control Centre, National Centre for Toxicological Information, IRCCS
 Fondazione Salvatore Maugeri Work and Rehabilitation Clinic, Via Salvatore Maugeri
 10, Pavia; Tel.: + 390382-24444
 Poison Centre, Azienda Ospedaliera "Antonio Cardarelli", III Service of Anaesthesia
 and
 reanimation, Via Antonio Cardarelli 9, Naples; Tel.: + 39 081-5453333
 Poison Centre, Niguarda Ca' Grande Hospital Authority, Piazza Ospedale Maggiore 3,
 Milan; Tel.: + 39 02-66101029
 Poison Centre, Azienda ospedaliera "Papa Giovanni XXIII", clinical toxicology,
 Department of clinical pharmacy and pharmacology, Piazza OMS 1, Bergamo; Tel.: + 39
 800883300
 Poison Centre, "Umberto I" Polyclinic, PRGM emergency toxicology, Viale del
 Policlinico 155, Rome; Tel.: + 39 06-49978000
 Poison Centre, Bambino Gesù Paediatric Hospital, Emergency and Acceptance
 Department DEA, Piazza Sant'Onofrio 4, Rome; Tel.: + 39 06 68593726
 Poison Centre, Policlinico "Agostino Gemelli", Clinical Toxicology Service, Largo
 Agostino Gemelli 8, Rome; Tel.: + 39 06-3054343
 Poison Centre of the Azienda Ospedaliera Universitaria Integrata (AOUI) di Verona sede
 di Borgo Trento, Piazzale Aristide Stefani, 1 - 37126 Verona. Tel.: + 39 800011858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Flammable liquid, category 2	H225	Highly flammable liquid and vapour.
Eye irritation, category 2	H319	Causes serious eye irritation.
Hazardous to the aquatic environment, chronic toxicity, category 2	H411	Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains: benzyl salicylate, linalool, linalyl acetate, 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one, 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one, d-limonene, slender cinnamon, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one May produce an allergic reaction.

Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

68279_FLOWERY BOWL - Fragrance diffuser with wicks

P501 Dispose of the product/container according to local regulations in force

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
Ethanol		
INDEX 603-002-00-5	$74 \leq x < 78$	Flam. Liq. 2 H225, Eye Irrit. 2 H319
EC 200-578-6		
CAS 64-17-5		
REACH Reg. 01-2119457610-43-xxxx		
(2-methoxymethylethoxy)propanol		
INDEX -	$4,5 \leq x < 5$	Substance with a community workplace exposure limit.
EC 252-104-2		
CAS 34590-94-8		
REACH Reg. 01-2119450011-60		
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one		
INDEX -	$0,8 \leq x < 0,9$	Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Chronic 1 H410 M=1
EC 259-174-3		
CAS 54464-57-2		
REACH Reg. 01-2119489989-04-0000		
d-limonene		
INDEX 601-029-00-7	$0,5 \leq x < 0,6$	Flam. Liq. 3 H226, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1
EC 227-813-5		
CAS 5989-27-5		
REACH Reg. 01-2119529223-47-xxxx		
slender cinnamon		
INDEX -	$0,5 \leq x < 0,6$	Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC 639-566-4		
CAS 165184-98-5		
REACH Reg. 01-2119533092-50-xxxx		
galaxolide		
INDEX 603-212-00-7	$0,5 \leq x < 0,6$	Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1
EC 214-946-9		

68279_FLOWERY BOWL - Fragrance diffuser with wicks

CAS 1222-05-5

REACH Reg. 01-2119488227-29-0000

linalyl acetate

INDEX - 0,25 ≤ x < 0,3 Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1B H317

EC 204-116-4

CAS 115-95-7

REACH Reg. 01-2119454789-19-0000

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethane-1-one

INDEX - 0,25 ≤ x < 0,3 Acute Tox. 4 H302, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 216-133-4

LD50 Oral: 920 mg/kg

CAS 1506-02-1

REACH Reg. 01-2119539433-40

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one

INDEX - 0,25 ≤ x < 0,3 Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Chronic 1 H410 M=1

EC 268-978-3

CAS 68155-66-8

1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one

INDEX - 0,25 ≤ x < 0,3 Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Chronic 1 H410 M=1

EC 268-979-9

CAS 68155-67-9

linalool

INDEX 603-235-00-2 0,1 ≤ x < 0,15 Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1B H317

EC 201-134-4

CAS 78-70-6

REACH Reg. 01-2119474016-42-0000

benzyl salicylate

INDEX - 0,1 ≤ x < 0,15 Eye Irrit. 2 H319, Skin Sens. 1B H317, Aquatic Chronic 3 H412

EC 204-262-9

CAS 118-58-1

REACH Reg. 01-2119969442-31-0000

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person,

unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

Send away individuals who are not suitably equipped. Use explosion-proof equipment. Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

68279_FLOWERY BOWL - Fragrance diffuser with wicks

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

(2-methoxymethylethoxy)propanol

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m ³	ppm	mg/m ³	ppm	
VLEP	ITA	308	50			
OEL	EU	308	50			SKIN
Predicted no-effect concentration - PNEC						
Normal value in fresh water				19		mg/l
Normal value in marine water				1,9		mg/l
Normal value for fresh water sediment				70,2		mg/kg
Normal value for marine water sediment				70,02		mg/kg
Normal value of STP microorganisms				4168		mg/l
Normal value for the terrestrial compartment				2,74		mg/kg

Health - Derived no-effect level - DNEL / DMEL

68279_FLOWERY BOWL - Fragrance diffuser with wicks

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				36 mg/kg bw/d				
Inhalation			NEA	37,2 mg/m3			VND	308 mg/m3
Skin			NPI			121 mg/kg bw/d	NPI	283 mg/kg bw/d

galaxolide

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,0044	mg/l
Normal value in marine water	0,00044	mg/l
Normal value for fresh water sediment	2	mg/kg
Normal value for marine water sediment	0,394	mg/kg
Normal value of STP microorganisms	1	mg/l
Normal value for the terrestrial compartment	0,31	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				3,8 mg/kg bw/d				
Inhalation				6,5 mg/m3				22 mg/m3
Skin				36 mg/kg bw/d				60 mg/kg bw/d

1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,0028	mg/l
Normal value in marine water	0,00028	mg/l
Normal value for fresh water sediment	3,73	mg/kg
Normal value for marine water sediment	0,75	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation						1,76 mg/m3		
Skin					0,1011 mg/cm2	1,73 mg/kg/d		

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,0028	mg/l
Normal value in marine water	0,00028	mg/l
Normal value for fresh water sediment	3,73	mg/kg
Normal value for marine water sediment	0,00028	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation						1,76 mg/m3		

68279_FLOWERY BOWL - Fragrance diffuser with wicks

Skin 0,1011 mg/cm2 1,73 mg/kg/d

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethane-1-one

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,0022	mg/l
Normal value in marine water	0,00022	mg/l
Normal value for fresh water sediment	1,72	mg/kg
Normal value for marine water sediment	0,345	mg/kg
Normal value of STP microorganisms	0,022	mg/l
Normal value for the food chain (secondary poisoning)	1,1	mg/kg
Normal value for the terrestrial compartment	0,31	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		1,2 mg/kg bw/d		0,013 mg/kg bw/d				
Inhalation		0,131 mg/m3		0,043 mg/m3		0,525 mg/m3		0,175 mg/m3
Skin		0,915 mg/kg bw/d		0,305 mg/kg bw/d		1,8 mg/kg bw/d		0,61 mg/kg bw/d

benzyl salicylate

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,001	mg/l
Normal value in marine water	0	mg/l
Normal value for fresh water sediment	0,538	mg/kg
Normal value for marine water sediment	0,058	mg/kg
Normal value of STP microorganisms	10	mg/l
Normal value for the food chain (secondary poisoning)	80	mg/kg
Normal value for the terrestrial compartment	1,41	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation				0,78 mg/m3				3,17 mg/m3
Skin				0,45 mg/kg bw/d				0,9 mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

68279_FLOWERY BOWL - Fragrance diffuser with wicks

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

Consider the appropriateness of providing antistatic clothing in the case of working environments in which there is a risk of explosion.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a type AX filter, whose limit of use will be defined by the manufacturer (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	liquid	
Colour	not available	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	> 35 °C	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	< 23 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	not available	
Kinematic viscosity	not available	
Solubility	not available	

68279_FLOWERY BOWL - Fragrance diffuser with wicks

Partition coefficient: n-octanol/water	not available
Vapour pressure	not available
Density and/or relative density	not available
Relative vapour density	not available
Particle characteristics	not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

68279_FLOWERY BOWL - Fragrance diffuser with wicks**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Metabolism, toxicokinetics, mechanism of action and other information

Ethanol

The bioaccumulus potential cannot be evaluated on the basis of the results of the study

This study indicates that about 20-30% of the ananol by inhalation following a low-level exposure is exhaled in the alveolar air, which indicates that about 70-80% of ethanol for inhalation is absorbed. The low -level inhalation of ethanol has determined measurable quantities of acetaldehyde in the alveolar air. For all the exposure concentrations, the results show that the concentration of ethanol and acetaldehyde in the expired alveolare air has increased proportionally and has reached a stable state after at least 2 hours of continuous exposure. Overall, there was a significant correlation between exposure to the ananol and the concentration of ethanol and acetaldehyde in the alveolar air. The relations between acetaldehyde and ethanol in the alveolar air after 4 hours of exposure to ethanol at 26, 102 or 991 ppm were 0.005, 0.008 and 0.006 respectively. Test performed on humans

A study was designed to determine the concentration of ethanol and its acetaldehyde metabolite in the alveolar air of five volunteers exposed (at rest) at low concentrations of short -term ethanol steam. The volunteers were exhibited for 6 hours, on three different occasions, at about 26, 102 or 991 ppm of ethanol and samples of alveolar air exhausted for analysis were taken. The low -level inhalation of ethanol has determined measurable quantities of acetaldehyde in the alveolar air. The study indicated that about 70 - 80% inhaled ethanol is absorbed.

Using an in vitro method to evaluate the penetration of the ananol through the removed guinea pig, at full thickness, less than 1% of the total dose penetrated the "discovered" skin for a period of 19 hours. The increase in the volume of the dose in the system does not seem to involve an increase in penetration. The penetration has been significantly improved by "occlusion".

A test range of test volumes was used (25 -500 µl)

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

(2-methoxymethylethoxy)propanol

Ratto oral noael: 1000 mg/kg

Noael Ratto inhalation: 200 ppm

Noael Dermico Rabbit: 2850 mg/kg BW/Day

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

Ethanol

LD50 (Dermal):

17100 mg/kg Specie: coniglio

LD50 (Oral):

10470 mg/kg Specie Ratto

68279_FLOWERY BOWL - Fragrance diffuser with wicks

at the concentration of 95%

LC50 (Inhalation vapours):

124,7 mg/l/4h Specie: topo
at the concentration of 95%

(2-methoxymethylethoxy)propanol

LD50 (Dermal):

> 19020 mg/kg Ratto

LD50 (Oral):

5135 mg/kg Ratto

LC50 (Inhalation vapours):

> 275 ppm/1h Ratto (LC0 non LC50, 7h non 1h)

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8-tetramethyl-2-naphthyl)ethane-1-one

LD50 (Dermal):

> 5000 mg/kg Ratto

LD50 (Oral):

> 5000 mg/kg Ratto

galaxolide

LD50 (Dermal):

> 10000 mg/kg Ratto

LD50 (Oral):

> 4640 mg/kg Ratto

d-limonene

LD50 (Dermal):

> 5000 mg/kg Coniglio

LD50 (Oral):

4400 mg/kg Ratto

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8-tetramethyl-2-naphthyl)ethane-1-one

LD50 (Dermal):

> 5000 mg/kg Ratto

LD50 (Oral):

> 5000 mg/kg Ratto

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethane-1-one

LD50 (Dermal):

7940 mg/kg Ratto

LD50 (Oral):

920 mg/kg Ratto

linalyl acetate

LD50 (Dermal):

> 5000 mg/kg Coniglio

LD50 (Oral):

> 9000 mg/kg Topo

benzyl salicylate

LD50 (Dermal):

> 2000 mg/kg coniglio

LD50 (Oral):

3031 mg/kg ratto

linalool

LD50 (Oral):

2790 mg/kg Ratto

LC50 (Inhalation vapours):

> 3,2 mg/l/1h30 Topo

d-limonene

Test: LD50 - VIA: Oral - Species: Mouse = 5600 mg/kg

linalyl acetate

Test: LC50 - Via: Inhalation - Species: Mouse - Duration: 1.5h

68279_FLOWERY BOWL - Fragrance diffuser with wicksSKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

Ethanol

Test performed on rabbit, no erythema/edema observed. Not irritating.

(2-methoxymethylethoxy)propanol

Non -irritating according to Regulation (EC) n. 1272/2008.

linalyl acetate

Test: Irritant for the skin - Via: skin - Species: negative human beings

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

Ethanol

The data obtained based on the guidelines of the GLP eye irritation study carried out on a rabbit, ascertain that ethanol causes irritation to the eyes. All symptoms are reversible in 14 days. The response was not severe enough to trigger the classification according to the criteria of Directive 67/548, but it was sufficient compared to the corneal and conjunctivals to trigger the classification as an irritating for the reversible eyes (category 2) pursuant to the GHS regulation of EU.

(2-methoxymethylethoxy)propanol

Mild completely reversible transient irritation within 2 hours. Non -irritating according to Regulation (EC) n. 1272/2008.

linalyl acetate

Test: Eyes irritating - Species: negative rabbit

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

benzyl salicylate

linalool

linalyl acetate

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one

1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one

d-limonene

slender cinnamon

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one

68279_FLOWERY BOWL - Fragrance diffuser with wicks

linalyl acetate

Test: irritating for the respiratory tract - species: negative human beings

Respiratory sensitization

Ethanol

It is not bronchoconstrictor. Test performed on the chorey of India.

Skin sensitization

Ethanol

Not sensitizing. Test performed on the chorey of India.

(2-methoxymethylethoxy)propanol

Non -sensitizing for the skin according to Regulation (EC) n. 1272/2008.

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

Ethanol

Negative genetic toxicity in vitro. Tests carried out on the rat.
Uncertain results in vivo. Tests carried out on mouse.

(2-methoxymethylethoxy)propanol

In vitro tests on fibroblasts of chickenish polyns: negative (without metabolic activation)

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

Ethanol

Noaec:> = 1.3 mg/l Air

Tests carried out on the rat. Duration 24 months.

(2-methoxymethylethoxy)propanol

Noel 300 ppm (rat liver).

Non -carcinogenic according to Regulation (EC) n. 1272/2008.

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Ethanol

Teramogenesis:

Noael: 15 Other: % in drinking water.

Test carried out on mouse.

Reproduction:

Noael: <1 000 mg/kg bw/day (nominal)

(2-methoxymethylethoxy)propanol

Not toxic for reproduction according to Regulation (EC) n. 1272/2008.

Adverse effects on sexual function and fertility

(2-methoxymethylethoxy)propanol

Noael P0: 300 ppm

Noael F1: 1000 ppm

Noael F2: 1000 ppm

Adverse effects on development of the offspring

Ethanol

Noael:> = 20 000 ppm

(2-methoxymethylethoxy)propanol

Noael P0: 300 ppm

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Ethanol

Nervous system:

Noaec: 19 000 mg/m³

Test performed on rat.

Immune system:

Noaec: 40 000 mg/m³

Test carried out on rat.

68279_FLOWERY BOWL - Fragrance diffuser with wicksSTOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Ethanol

Oral:

Loael: 3 200 mg/kg BW/day (current dose received)

Noael: 1 730 mg/kg BW/day (current dose received)

Tests carried out on the rat.

Inhalation:

Noaec: 2.65 mg/l Air

Loae: 13.3 mg/L Air

Tests carried out on the rat.

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

12.1. Toxicity

Ethanol

On fish:

LC0: 7.96 g/l (96 -hour test duration). Test carried out on Pimphaales Promolas.

On crustaceans:

LC50: 5 012 mg/l (duration 48h). Test performed on: Ceriodaphnea Dubia.

On invertebrates:

LC50: 454 mg/l (duration 9 days). Test performed on Daphnia Magna.

On algae and cyanobacteria:

EC100: 14200 mg/l (duration 3 days)

Test made on Chlorella Vulgaris.

On microorganisms:

IC50:> 1000 mg/l. Test duration 3 days. Test carried out on active sludge.

On aquatic organisms:

Noec:> 79 mg/l (48h test duration) test carried out on time frog.

On soil:

LC50 = 0.1 - 1mg/cm2 test carried out on Eisenia Foetida.

On earth arthropods:

EC0: 0.02% (duration 10 days). Test carried out on Diptera

On terrestrial plants:

Test carried out on: ALLIUM CEPA (duration 6 days).

EC50 = 11800mg/L

EC10 = 790mg/L

(2-methoxymethylethoxy)propanol

EC10 microorganisms - 4168 mg/l/18h pseudomonas putida

EC50 Terrestrial plants -> 500 g/l/21d Gossypium Hirsutum, Zea Mays, Brassica Napus, Glycine Max, Lycopersicon Esculetum, Vitis Vinifera, Triticum

68279_FLOWERY BOWL - Fragrance diffuser with wicks

Asettivum

Noec terrestrial plants - 250 g/l Gossypium Hirsutum, Zea Mays, Brassica Napus, Glycine Max, Lycopersicon Esculetum, Vitis Vinifera, Triticum

Asettivum

galaxolide

EC50 Crustaceans (48h) = 0.47 mg/l Daphnia

Ec50 microorganisms (5D) = 10 mg/l slies

d-limonene

EC50 - Species: fish = 0.688 mg/l - Duration H: 96

linalyl acetate

LC50 - for Fish	11 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	59 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	25 mg/l Daphnia magna 48h

benzyl salicylate

LC50 - for Fish	1,03 mg/l/96h zebra fish
EC50 - for Crustacea	1,16 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	1,29 mg/l/72h Pseudokirchneriella subcapitata

galaxolide

LC50 - for Fish	0,95 mg/l/96h Oryzias latipes
EC50 - for Crustacea	> 0,9 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0,723 mg/l/72h Pseudokirchneriella subcapitata
LC10 for Fish	0,068 mg/l/96h Pimephales promelas

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethane-1-one

LC50 - for Fish	1,49 mg/l/96h Lepomis macrochirus
EC50 - for Crustacea	> 0,8 mg/l/3d Daphnia magna
EC50 - for Algae / Aquatic Plants	> 0,625 mg/l/72h Pseudokirchneriella subcapitata
Chronic NOEC for Fish	0,035 mg/l Danio rerio
Chronic NOEC for Crustacea	0,022 mg/l Acartia tonsa
Chronic NOEC for Algae / Aquatic Plants	0,276 mg/l/72h Pseudokirchneriella subcapitata

(2-methoxymethylethoxy)propanol

LC50 - for Fish	> 1000 mg/l/96h Poecilia reticulata
EC50 - for Crustacea	1930 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	> 969 mg/l/72h Pseudokirchneriella subcapitata
Chronic NOEC for Crustacea	1000 mg/l 48h Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	969 mg/l 72h Pseudokirchneriella subcapitata

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one

LC50 - for Fish	1,3 mg/l/96h Lepomis macrochirus, OECD TG 203
EC50 - for Crustacea	1,38 mg/l/48h Daphnia magna, OECD TG 202
EC50 - for Algae / Aquatic Plants	2,6 mg/l/72h Desmodesmus subspicatus, OECD TG 201

d-limonene

LC50 - for Fish	0,72 mg/l/96h Danio rerio
EC50 - for Algae / Aquatic Plants	0,214 mg/l/72h Pseudokirchneriella subcapitata

68279_FLOWERY BOWL - Fragrance diffuser with wicks

Chronic NOEC for Fish	0,37 mg/l/8d Danio rerio
slender cinnamon	
LC50 - for Fish	1,7 mg/l/96h Pimephales promelas
EC50 - for Crustacea	> 0,36 mg/l/48h Daphnia magna
Chronic NOEC for Fish	0,93 mg/l Pimephales promelas 96h
Chronic NOEC for Crustacea	0,063 mg/l Daphnia magna
1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one	
LC50 - for Fish	1,3 mg/l/96h OECD TG 203
EC50 - for Crustacea	1,38 mg/l/48h Daphnia spp; OECD TG 202
EC50 - for Algae / Aquatic Plants	2,6 mg/l/72h OECD TG 201
Chronic NOEC for Fish	0,16 mg/l OECD 210
linalool	
LC50 - for Fish	27,8 mg/l/96h Salmo gairdneri
EC50 - for Crustacea	59 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	88,3 mg/l/72h Desmodesmus subspicatus 96h
EC10 for Algae / Aquatic Plants	38,4 mg/l/96h Desmodesmus subspicatus
Chronic NOEC for Fish	< 3,5 mg/l Salmo gairdneri 96h
Chronic NOEC for Crustacea	25 mg/l Daphnia magna 48h
Ethanol	
LC50 - for Fish	14200 mg/l/96h Pimephales Promelas.
EC50 - for Algae / Aquatic Plants	4432 mg/l/72h Durata 7 giorni. Test effettuato su Lemna Gibba.
EC10 for Algae / Aquatic Plants	86 mg/l/10d Durata 4 giorni. Test effettuato su Chlorella Vulgaris.
Chronic NOEC for Fish	250 mg/l Durata test 120 h. Specie Danio Rerio.
Chronic NOEC for Crustacea	96 mg/l Test eseguito su Daphnia Magna.
Chronic NOEC for Algae / Aquatic Plants	280 mg/l Test effettuato su Lemna Gibba. Durata test 7 giorni.

12.2. Persistence and degradability

linalyl acetate	
Rapidly degradable	
70% in 28 giorni	
benzyl salicylate	
Solubility in water	8,8 mg/l
Rapidly degradable	
76% in 28d OECD 301F	
galaxolide	
Solubility in water	1,54 mg/l
NOT rapidly degradable	
2 % a 28 giorni OECD 301 B	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethane-1-one	
NOT rapidly degradable	
21% in 21 giorni (O2 consumption)	

68279_FLOWERY BOWL - Fragrance diffuser with wicks

(2-methoxymethylethoxy)propanol

Solubility in water 1000 mg/l

Rapidly degradable

76% in 28d OECD 301F

d-limonene

Solubility in water 5,69 mg/l

Rapidly degradable

80% (consumo di ossigeno) a 28 giorni

slender cinnamon

Rapidly degradable

97% in 28 giorni

1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one

NOT rapidly degradable

0% in 28 giorni; Modified MITI Test

linalool

Rapidly degradable

64.2% (consumo di ossigeno) a 28 giorni

Ethanol

Rapidly degradable

84% (consumo di ossigeno) a 20 giorni

12.3. Bioaccumulative potential

linalyl acetate

BCF 174 l/kg

benzyl salicylate

Partition coefficient: n-octanol/water 4 Log Kow

BCF 311 l/kg

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethane-1-one

BCF 597 -

(2-methoxymethylethoxy)propanol

Partition coefficient: n-octanol/water 0,004 Log Kow

Ethanol

BCF 1 - Muscoli e tessuti.

12.4. Mobility in soil

benzyl salicylate

Partition coefficient: soil/water 5623

galaxolide

Partition coefficient: soil/water 24,547

d-limonene

Partition coefficient: soil/water 6324 l/kg

68279_FLOWERY BOWL - Fragrance diffuser with wicks

Ethanol

Partition coefficient: soil/water

10

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 1993

14.2. UN proper shipping name

ADR / RID: FLAMMABLE LIQUID, N.O.S. (Ethanol)

IMDG: FLAMMABLE LIQUID, N.O.S. (Ethanol; 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethane-1-one)

IATA: FLAMMABLE LIQUID, N.O.S. (Ethanol)

14.3. Transport hazard class(es)

ADR / RID: Class: 3 Label: 3

IMDG: Class: 3 Label: 3

IATA: Class: 3 Label: 3



68279_FLOWERY BOWL - Fragrance diffuser with wicks

14.4. Packing group

ADR / RID, IMDG, IATA: II

14.5. Environmental hazardsADR / RID: Environmentally
Hazardous

IMDG: Marine Pollutant



IATA: NO

For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 33	Limited Quantities: 1 L	Tunnel restriction code: (D/E)
	Special provision: 274, 601, 640D		
IMDG:	EMS: F-E, <u>S-E</u>	Limited Quantities: 1 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 364
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 353
	Special provision:	A3	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: P5c-E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

68279_FLOWERY BOWL - Fragrance diffuser with wicks

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2	Flammable liquid, category 2
Flam. Liq. 3	Flammable liquid, category 3
Acute Tox. 4	Acute toxicity, category 4
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.

68279_FLOWERY BOWL - Fragrance diffuser with wicks

H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)

68279_FLOWERY BOWL - Fragrance diffuser with wicks

- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 08 / 09 / 11 / 12 / 14 / 15 / 16.